

capturing image data;
capturing a change in the image data;
calculating a difference between the image data and the change in the image data;
generating a comparison histogram, based on the difference, indicating a degree of the difference; and
determining an appropriate response based on the degree of the difference.

79. A method for determining a response due to a change in image data, the method comprising:

capturing image data;
capturing a change in the image data;
calculating a difference between the image data and the change in the image data;
if the difference is above a threshold, generating a comparison histogram, based on the difference, the histogram indicating a degree of the difference; and
determining an appropriate response based on the degree of the difference.

80. A method for determining a response due to a change in image data, the method comprising:

capturing image data at a plurality of positions from a plurality of cameras;
capturing a change in the image data from the plurality of cameras;
if the change is above a threshold from the plurality of positions, correlating the change from the plurality of cameras; and
calculating a difference between the image data and the correlated change in the image data.

81. A method for determining a response due to a change in image data, the method comprising:

capturing image data at a plurality of positions from a plurality of cameras;
capturing a change in the image data from the plurality of cameras;
if the change is above a threshold from the plurality of positions, correlating the change from the plurality of cameras;

calculating a difference between the image data and the correlated change in the image data;

generating a comparison histogram, based on the difference, the histogram indicating a degree of the difference; and

determining an appropriate response based on the degree of the difference.

82. A method for determining a response due to a change in image data, the method comprising:

capturing image data;

capturing a change in the image data;

calculating a luminance difference between the image data and the change in the image data;

determining a degree of the difference based on differences between pixels associated with the change; and

determining an appropriate response based on the degree of the difference.

83. A method for determining a response due to a change in image data, the method comprising:

capturing image data;

masking a portion of the image data;

capturing a change in the non-masked portion of the image data;

calculating a difference between the image data and the change in the non-masked portion of the image data; and

generating a comparison histogram, based on the difference, indicating a degree of the difference.

84. A method for determining a response due to a change in image data, the method comprising:

capturing image data;

masking a portion of the image data;

enlarging the masked portion;

capturing a change in the non-enlarged masked portion of the image data;

calculating a difference between the image data and the change in the non-masked portion of the image data; and

generating a comparison histogram, based on the difference, indicating a degree of the difference.

85. A method for determining a response due to a change in image data, the method comprising:

capturing image data;

automatically masking a portion of the image data where an event consistently occurs;

enlarging the masked portion;

capturing a change in the non-enlarged masked portion of the image data;

calculating a difference between the image data and the change in the non-masked portion of the image data; and

generating a comparison histogram, based on the difference, indicating a degree of the difference.

86. A method for determining a response due to a change in image data, the method comprising:

capturing image data;

masking a portion of the image data;

capturing a change in the masked portion of the image data;

calculating a difference between the image data and the change in the masked portion of the image data; and

generating an alarm based on the difference.

87. A method for determining a response due to a change in image data, the method comprising:

capturing a prior image scene;

capturing a current image scene;

calculating a difference between the scenes;

producing a difference scene based on the calculated difference;

creating a statistical summary of the difference scene;
summing value changes of the difference scene statistics; and
if the summed changes exceeds a threshold, determining an event has occurred.

88. A method for indicating an event in a video stream, comprising:
detecting the event; and
displaying the event;
wherein an indication of an increased amount of the event can be displayed by altering a first icon;
wherein an indication of a decreased amount of the event can be displayed by altering a second icon;
wherein the first icon and the second icon can be altered at a faster rate to indicate an increased amount of the event;
wherein the first icon and the second icon can be altered a faster rate to indicate an increased length of the event;
wherein the first icon and the second icon can be altered at a slower rate to indicate a decreased amount of the event;
wherein the first icon and the second icon can be altered at a slower rate to indicate a decreased length of the event; and
wherein the altering consists of at least one of a following item:
a flashing of the icon;
a blinking of the icon;
a brightness of the icon;
a color of the icon;
a contrast of the icon; and
an outline of the icon.

89. A method for indicating an event in a video stream, comprising:
detecting the event; and
displaying the event;
wherein an indication of an increased amount of the event can be displayed by altering an icon at an increased rate; and

A38
C0111.

wherein an indication of a decreased amount of the event can be displayed by altering the icon at a decreased rate.
